INDEX TO VOLUME 7

AUTHOR INDEX

Alvarado Durán, A., 195
Aref, I., 503
Aznar Ramos, R., 195
Barsivala, V.M., 307
Beck, L.R., 125
Bernstein, G.S., 381
Bluett, D.G., 11
Bo, W.J., 243
Boots, L.R., 125
Bullard, P.D., Jr., 133
Camyre, M.R., 57
Cardon, M., 289
Cervantes, A., 271
Chang, C.C., 413
Coffelt, C.F., 435
Dabancens, A., 203
Davidson, O.W., 333
DiPasquale, G., 231
Donnez, J., 289
Dugwekar, Y.G., 27, 313
Ferguson, E., 231
Ferin, J., 289
Forsythe, A., 435
Garrison, B.M., 243
Goldman, J.A., 227
Gould, K.G., 65
Gual, C., 271
Halbrecht, I., 227
Hale, R.W., 133
Hefnawi, F., 503
Herrick, C.N., 133
Hicks, J.J., 213
Hindle, W.H., 133
Horowitz, A.J., 1
Ibrahim, W.N., 403
Iramain, C., 271
Jecht, E.W., 381
Jöchle, W., 523
Johansson, E.D.B., 299
Kandil, O., 503
Kar, A.B., 115, 183
Karkun, J.N., 115
Kaye, R.E., 477
Kesseru, E., 367
Kinson, G.A., 153
Koetsawang, S., 327
Kothari, M.L., 491
Krishnan, A.R., 47
Krueger, W.A., 243
Landesman, R., 477
Lara-Ricalde, R., 213
Larrañaga, A., 367
Laumas, K.R., 27, 47, 313
Laumas, V., 47
Liu, C.C., 153
Mahendrakar, M.N., 491
Medina, E., 203
Mehrotra, P.K., 115
Narula, R.K., 27, 313
Noyes, R.W., 57
Nygren, K.G., 299
Odom, C.B., 57
Onetto, E., 203
Parada, J., 367
Pardanani, D.S., 491
Paulsen, C.A., 357
Pedron, N., 213
Pérez, A.E., 271
Pérez-Palacios, G., 271
Perry, K., 231
Phaosavasdi, S., 515
Pion, R.J., 133
Polishuk, W.Z., 145
Pozzi, C., 231
Pradhan, S.A., 491
Prasad, M.R.N., 105
Quiñones, Guerror, R., 195
Rassaert, C.L., 231
Reddy, P.R.K., 105
Rienprayura, D., 515
Rosado, A., 213
Ruiz, M.R., 271
Sammour, M.B., 403
Schreiber, E.C., 271
Shaker, A., 403
Shankman, P., 435
Shearman, R.P., 459
Skoglund, R.D., 357
Snowden, R., 91
Solis, J., 271

Somboonsuk, A., 515
Srivastava, P.N., 65
Stern, E., 435
Tatum, H.J., 413
Thomas, K., 289
Virkar, K.D., 307
White, I.G., 183
Wilkins, C., 333
Williams, M., 91
Wilson, K.H., 477
Youkeles, L., 435
Zañartu, J., 203

INDEX TO VOLUME 7

SUBJECT INDEX

Abortion
  histopathologic changes associated with prostaglandin, 133
  immediate insertion of Copper-T device, 299
  vaginal operation, 11
Adhesives, tissue, effect on endometrium (rabbit), 145
Anastomosis, post-vasectomy vas deferens, use of silicone rubber splint, 491
Antagonist, estrogen, action in intact and ovariectomized (rat), 231
Benzofuran [2-phenyl-3-p-(β-pyrrolidino-ethoxy)phenyl-6-methoxy benzofuran hydrochloride]
Benzofuran, estrogenicity (rat), 115
Biochemical influence, effect on ovarian function, 523
Carcinoma of cervix with an IUD, 227
Cervical perforation, Copper-T device, 515
Cervix, invasive epidermal carcinoma with an IUD, 227
Chroman [3,4-trans-2,2-dimethyl-3-phenyl-4-(p-(β-pyrrolidin-oethoxy)-phenyl)7-methoxy chroman]
Chroman, estrogenicity (rat), 115
Chlormadinone acetate (6-chloro-17α-hydroxypregna-4,6-diene-3, 20-dione-17-acetate)
  changes in ovaries after long-term use, 503
  mammary gland nodules, 203
1α-^{3}H-Chlormadinone acetate
  disappearance from plasma, 27
  distribution in reproductive tract, 313
  uptake and disappearance in tissue (rat), 47
Cingestol, changes in ovaries after long-term use, 503
Coitus-induced ovulation, 523
  conceptions, 523
  eutherian and mammalian species, 523
Conceptions, coitus-induced ovulation, 523
Contraception, post-coital, review, 459
Contraceptive choice and dysplasia, 435
Contraceptive effectiveness, Dalkon Shield, 1
Contraceptive steroids, effect on spermatozoa, 213
Copper, influence on motility of spermatozoa, 381
Copper-T device, 299, 327, 381, 477, 515
  cervical perforation, 515
  experience of two-man team, 477
  influence on motility of spermatozoa, 381
  insertion immediately after abortion, 299
  laparoscopic removal, 327
Copper wire, intrauterine, absence of teratogenicity (rat, hamster, rabbit), 413

Dalkon Shield, 1
  contraceptive effectiveness, 1
  IUD, 91
  side effects, 1
  use-effectiveness, 91
Danazol [17α-pregn-4-en-20-yno-(2,3-d)isoxazol-17-ol]
Danazol-testosterone combination, reversible male contraception, 357
Dihydroxyprogesterone acetophenide + estradiol enanthate
  liver function, 403
  metabolic fate, 271
Disappearance, 1α-^{3}H-chlormadinone acetate from plasma, 27
Disappearance, 1α-^{3}H-chlormadinone acetate in tissue (rat), 47
Distribution of 1α-^{3}H-chlormadinone acetate in reproductive tract, 313
Dysplasia and contraceptive choice, 435
Electrocauterization, tubal, under hysteroscopic control, 195
Endocrine response to melatonin and serotonin (rat), 153
Endometrium, effect of tissue adhesives (rabbit), 145
Estradiol enanthate + dihydroxyprogesterone acetophenide
  liver function, 403
  metabolic fate, 271
Estrogen antagonist [1-(2-{p-(α-(p-methoxyphenyl)-β-nitrostyryl)-phenoxy}-ethyl)-pyrrolidine monocitrate]
Estrogen antagonist, action in intact and ovariectomized (rat), 231
Estrogen-progestogen, long-acting, effect on liver function, 403
Estrogen-progestogen contraceptive, long-acting, metabolic fate, 271
Estrogenicity, nonsteroidal compounds (rat), 115
Ethynyl estradiol + norgestrel, effect on human milk, 307
Fertility control in male, implanted silastic capsules containing testosterone (rat), 105
Fertilizing capacity, spermatozoa, inhibition by sialoproteins (rabbit), 65
Fluid, uterine, immunologic studies (rat), 125
Follicular phase, peculiarity in animals and human, 523
Gametogenic response to melatonin and serotonin (rat), 153
Genital tract, female, physiology of sperm, 183
Histopathologic changes associated with prostaglandin induced abortion, 133
Hormonal methods, post-coital contraception, 459
Hypophyseal responsiveness to synthetic LH-RH during menstrual cycle, 289
Hysteroscopic control, tubal electrocauterization, 195
Immunologic studies, uterine fluid (rat), 125
Implanted silastic capsules containing testosterone, fertility control in male (rat), 105
Inhibition, fertilizing capacity of spermatozoa by sialoproteins (rabbit), 65
Inhibition of ability of blastocyst to implant, post-coital contraception, 459
Injectable long-acting estrogen-progestogen contraceptive, metabolic fate, 271

Injectable progestogen-estrogen, effect on liver function, 403
Intrauterine copper wire, absence of teratogenicity (rat, hamster, rabbit), 413
Invasive epidermal carcinoma of cervix with an IUD, 227
IUD, 1, 91, 227, 243, 299, 327, 381, 477, 515
  Copper-T device, 299, 327, 381, 477, 515
  Dalkon Shield, 1, 91
  influence on uterine neutrophils (rat), 243
  invasive epidermal carcinoma of cervix, 227
Laparoscopic removal of perforated copper T IUD, 327
LH-RH, synthetic, changes in hypophyseal responsiveness during menstrual cycle, 289
Liver function, effect of long-acting progestogen-estrogen, 403
Long-acting injectable estrogen-progestogen contraceptive, metabolic fate, 271
Long-acting progestogen-estrogen, effect on liver function, 403
Long-term progestogen administration, changes in ovaries, 503
Male, fertility control with implanted silastic capsules containing testosterone (rat), 105
Male contraception, reversible, danazol - testosterone combination, 357
Mammary gland nodules, women under continuous exposure to progestogens, 203
Medroxyprogesterone acetate, mammary gland nodules, 203
Megestrol acetate
  changes in ovaries after long-term use, 503
  effect on human milk, 307
Melatonin and serotonin, testicular gametogenic and endocrine responses (rat), 153
Menstrual cycle, changes in hypophyseal responsiveness to synthetic LH-RH, 289
Metabolic fate, long-acting injectable estrogen-progestogen contraceptive, 271
Milk, human, effect of oral contraceptives, 307
Motility of spermatozoa, influence of copper, 381
Naphthofuran [2-phenyl-3-p-(β-pyrrolidinoethyoxy)phenyl-naphtho (2,1-b) furan]
Naphthofuran, estrogenicity (rat), 115
Nervous influence, effect on ovarian function, 523
Neurohormonal connections, animals and human, 523
Neutrophils, uterine, influence of IUDs (rat), 243
Nodules, mammary gland, women under continuous exposure to progestogens, 203
Nonsteroidal compounds, estrogenicity (rat), 115
Nonsteroidal compounds, post-coital contraceptives (rat), 115
Norgestrel + ethynyl estradiol, effect on human milk, 307
D-Norgestrel, postcoital contraception, 367
Occlusion, tubal, following single instillation of Quinacrine, 333
Oral contraceptives, effect on human milk, 307
Ovarian functions, direct nervous, biochemical and pharmacological influences, 523
Ovaries, changes after long-term use of mircodose progestogens, 503
Ovulation, paracyclic, 523

Paracyclic ovulation, 523
Perforated copper T IUD, laparoscopic removal, 327
Perforation, cervical, copper-T device, 515
Pharmacological influence, effect on ovarian function, 523
Pheromones, possible role in post-coital contraception, 459
Physiology of sperm in female genital tract, 183
Plasma, disappearance of 1α-^{3}H-chlormadinone acetate, 27
Post-coital contraception
    hormonal methods, 459
    inhibition of ability of blastocyst to implant, 459
    D-norgestrel, 367
    possible role of pheromones, 459
    review, 459
Post-coital contraceptives, nonsteroidal compounds (rat), 115
Post-vasectomy vas deferens anastomosis, use of silicone rubber splint, 491
Progestogens
    mammary gland nodules in women under continuous exposure, 203
    microdose, changes in ovaries after long-term use, 503
Progestogen-estrogen, long-acting, effect on liver function, 403
Progestogen-estrogen contraceptive, long-acting, metabolic fate, 271
Propiophenone (3-chloro-2,3-diphenyl-propiophenone)
Propiophenone, estrogenicity (rat), 115
Prostaglandin induced abortion, histopathologic changes, 133
Psychology and reproduction, 523
Quinacrine, tubal occlusion following single instillation, 333
Quingestanol acetate, changes in ovaries after long-term use, 503
Radioisotope assay, sperm-binding globulin (rabbit), 57
Removal, perforated copper T IUD with laparoscope, 327
Reproduction and psychology, 523
Reproductive tract, distribution of 1α-^{3}H-chlormadinone acetate, 313
Reversible male contraception, danazol-testosterone combination, 357
Serotonin and melatonin, testicular gametogenic and endocrine responses (rat), 153
Sialoproteins, inhibition of fertilizing capacity of spermatozoa (rabbit), 65
Side effects, Dalkon Shield, 1
Silastic capsules, implanted, containing testosterone for fertility control in male (rate), 105
Silicone rubber splint for post-vasectomy vas deferens anastomosis, 491
Sperm, physiology in female genital tract, 183
Sperm-binding globulin, radioisotope assay (rabbit), 57
Spermatozoa
    effect of contraceptive steroids, 213
    influence of copper on motility, 381
    inhibition of fertilizing capacity by sialoproteins (rabbit), 65
Steroids, contraceptive, effect on spermatozoa, 213
Synthetic LH-RH, changes in hypophyseal responsiveness during menstrual cycle, 289
Teratogenicity, absence with intrauterine copper wire (rat, hamster, rabbit), 413

Testicular gametogenic response to melatonin and serotonin (rat), 153
Testosterone in implanted silastic capsules for fertility control in male (rat), 105
Testosterone-danazol combination, reversible male contraception, 357
Tissue, uptake and disappearance of 1α-^{3}H-chlormadinone acetate (rat), 47
Tissue adhesives, effect on endometrium (rabbit), 145
Tubal electrocauterization under hysteroscopic control, 195
Tubal occlusion following single instillation of Quinacrine, 333
Uptake, 1α-^{3}H-chlormadinone acetate in tissue (rat), 47
Use-effectiveness, Dalkon Shield, 91
Uterine fluid, immunologic studies (rat), 125
Uterine neutrophils, influence of IUDs (rat), 243
Vaginal operation, abortion, 11
Vas deferens, post-vasectomy anastomosis with silicone rubber splint, 491
Vasectomy, post-vasectomy vas deferens anastomosis with silicone rubber splint, 491